



IBM @server® xSeries options assigned new part numbers

Overview

IBM is releasing new part numbers for existing xSeries® options. IBM releases new part numbers for existing products to track inventory manufactured using updated manufacturing process methods or materials required for sale in certain jurisdictions, such as the European Union. The features and functions for which these products were designed remain unchanged despite the addition of new part numbers.

This announcement is for information purposes only; part numbers were changed on December 13, 2005.

For details, refer to the **Product description** section.

Additional information: All offers are subject to availability. IBM reserves the right to alter product offerings and specifications at any time without notice. IBM is not responsible for photographic or typographic errors.

IBM makes no representation or warranty regarding third-party products or services.

Key prerequisites

xSeries server

Planned availability dates: Refer to the **Planned availability dates** section.

For technical support:

- Call the IBM Support Center at 800-IBM-SERV (426-7378)
- Request technical information at <http://www.ibm.com/pc/support>

This announcement is provided for your information only. For additional information, contact your IBM representative, call 800-IBM-4YOU, or visit the IBM home page at: <http://www.ibm.com>.

Planned availability dates

- February 21, 2006: 19-in Fixed Shelf
- February 28, 2006:
 - 73 GB Hot-Swap 3.5-in 10K rpm Ultra320 SCSI HDD (40K1023)
 - 146 GB Hot-Swap 3.5-in 10K rpm Ultra320 SCSI HDD (40K1024)
 - 300 GB Hot-Swap 3.5-in 10K rpm Ultra320 SCSI HDD (40K1025)
 - 36 GB (Gen 3) Hot-Swap 3.5-in 15K rpm Ultra 320 SCSI HDD (40K1026)
 - 73 GB (Gen 3) Hot-Swap 3.5-in 15K rpm Ultra 320 SCSI HDD (40K1027)
 - 146 GB (Gen 3) Hot-Swap 3.5-in 15K rpm Ultra 320 SCSI HDD (40K1028)
 - 36 GB Hot-Swap 2.5-in 10K rpm Ultra320 SCSI HDD (40K1035)
 - 73 GB Hot-Swap 2.5-in 10K rpm Ultra320 SCSI HDD (40K1036)
 - 36 GB Non Hot-Swap 2.5-in 10K rpm Ultra320 SCSI HDD (40K1037)
 - 73 GB Non Hot-Swap 2.5-in 10K rpm Ultra320 SCSI HDD (40K1038)
 - 300 GB Hot-Swap 3.5-in 10K rpm Ultra320 SAS HDD (40K1041)
 - 80 GB (Simple-Swap Tray SATA 7200 HDD (40K6864)
 - 160 GB (Simple-Swap Tray SATA 7200 HDD (40K6868)
 - 250 GB (Simple-Swap Tray SATA 7200 HDD (40K6872)
- March 3, 2006: Memory
- March 15, 2006: IBM Keyboards
- March 27, 2006: Line cords
- April 25, 2006:
 - 73 GB Non Hot-Swap 3.5-in 10K rpm Ultra320 SCSI HDD (40K1029)
 - 146 GB Non Hot-Swap 3.5-in 10K rpm Ultra320 SCSI HDD (40K1030)
 - 300 GB Non Hot-Swap 3.5-in 10K rpm Ultra320 SCSI HDD (40K1031)
 - IBM 36 GB 15,000 rpm Ultra320 SCSI non hot-swap HDD (40K1032)
 - IBM 73 GB 15,000 rpm Ultra320 SCSI non hot-swap HDD (40K1033)
 - IBM 146 GB 15,000 rpm Ultra320 SCSI non hot-swap HDD (40K1034)
 - 73 GB Hot-Swap 3.5-in 10K rpm Ultra320 SAS HDD (40K1039)
 - 146 GB Hot-Swap 3.5-in 10K rpm Ultra320 SAS HDD (40K1040)
 - 36 GB Hot-Swap 3.5-in 15K rpm Ultra320 SAS HDD (40K1042)
 - 73 GB Hot-Swap 3.5-in 15K rpm Ultra320 SAS HDD (40K1043)
 - 146 GB Hot-Swap 3.5-in 15K rpm Ultra320 SAS HDD (40K1044)
 - 36 GB 2.5-in 10K rpm SAS Hot-Swap HDD (40K1051)
 - 73 GB 2.5-in 10K rpm SAS Hot-Swap HDD (40K1052)

Product description

Description	Old part number	New part number
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- U.S. English	39M7228	40K5372
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Arabic	39M7229	40K5373
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Belgium/UK	39M7230	40K5374
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Chinese/US	39M7231	40K5375
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Czech	39M7232	40K5376
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Danish	39M7233	40K5377
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Dutch	39M7234	40K5378
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- French	39M7235	40K5379
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- French Canadian	39M7236	40K5380
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- German	39M7237	40K5381
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Greek	39M7238	40K5382
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Hebrew	39M7239	40K5383
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Hungarian	39M7240	40K5384
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Italy/Italian	39M7241	40K5385
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Japanese	39M7242	40K5386
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Korean	39M7243	40K5387
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- LA Spanish	39M7244	40K5388
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Norwegian	39M7245	40K5389
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Polish	39M7246	40K5390
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Portuguese	39M7247	40K5391
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Russian	39M7248	40K5392
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Slovak	39M7249	40K5393
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Spanish	39R6058	40K5394
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Swed/Finn	39R6059	40K5395
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Swiss F/G	39R6060	40K5396
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Thai	39R6061	40K5397
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Turkish	39R6062	40K5398
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- UK English	39R6063	40K5399
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- U.S. Euro	39R6064	40K5400
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Slovenian	39R6065	40K5401
IBM Ultra320 SCSI Controller 2	13N2249	39R8743
512MB (1x512MB DIMM) PC2-3200 CL3 ECC DDR2 SDRAM RDIMM	73P4206	39M5858
1GB (2x512MB Kit) PC2-3200 CL3 ECC DDR2 SDRAM RDIMM	73P3522	39M5818

1GB (2x512MB Kit) PC2-3200 CL3 ECC DDR2 SDRAM RDIMM	73P2865	39M5821
2GB (2x1GB Kit) PC2-3200 CL3 ECC DDR2 SDRAM RDIMM	73P2866	39M5809
4GB (2x2GB Kit) PC2-3200 CL3 ECC DDR2 SDRAM RDIMM	73P2867	39M5812
4GB (2x2GB Kit) PC2-3200 CL3 ECC DDR2 SDRAM RDIMM	73P4792	39M5815
1GB (2x512MB Kit) PC3200 CL3 ECC DDR SDRAM RDIMM	73P3233	39M5800
2GB (2x1 GB Kit) PC3200 CL3 ECC DDR SDRAM RDIMM	73P3234	39M5803
4GB (2x2 GB Kit) PC3200 CL3 ECC DDR SDRAM RDIMM	73P3235	39M5806
2GB (2x1GB Kit) PC3200 CL3 ECC DDR SDRAM VLP RDIMM	73P5121	39M5849
4GB (2x2GB Kit) PC3200 CL3 ECC DDR SDRAM VLP RDIMM	73P5122	39M5852
1GB (1x1GB DIMM) PC2700 CL2.5 ECC DDR SDRAM RDIMM	73P2276	39M5839
2GB (1 x2GB DIMM) PC2700 CL2.5 ECC DDR SDRAM RDIMM	25R8408	39M5843
Power Cable -- C13 / NEMA 5-15P 14ft	94G6667	39Y7931
12ft Power Cable C13-C14	94G7448	39Y7932
Universal Jumper Cord -- 1.5 m	24P7469	39Y7937
IEC309 C20 to C13 rack jumper cable	23K4809	39Y7938
IEC 309 C19 to C20 intra rack cable	90P4849	39Y7916
European 10A line C13 to CEE 7/7 (2.8M)	90P4850	39Y7917
Denmark 10A line C13 to DK2-5A (2.8M)	90P4851	39Y7918
Switzerland 10A line C13 to SEV 1011 (2.8M)	90P4852	39Y7919
Israel 10A line C13 to SI 32 (2.8M)	90P4853	39Y7920
Italy 10A line C13 to CEE 7/7 (2.8M)	90P4854	39Y7921
South Africa 10A line C13 to SABS 164/1 (2.8M)	90P4855	39Y7922
United Kingdom 10A line C13 to BS 1363 (2.8M)	90P4856	39Y7923
Australia/NZ 10A line C13 to SAA-AS C112 (2.8M)	90P4857	39Y7924
Korea 7A line C13 to KETI 15A/250V (2.8M)	90P4858	39Y7925
Japan 7A line C13 to JIS C-8303-1983 Denan (4.3M)	90P4859	39Y7926
India 6A line C13 to Fig 68 (2.8M)	90P4860	39Y7927
China 6A line C13 to GB 2099.1 (2.8M)	90P4861	39Y7928
Brazil 10A line C13 to NBR 6147 (2.8M)	90P4862	39Y7929
Argentina 10A line C13 to IRAM 2063 (2.8M)	90P4863	39Y7930
IBM 19† Fixed Shelf Option	94G7442	39M2978
73GB Hot-Swap 3.5† 10K RPM Ultra320 SCSI HDD	90P1305	40K1023
146GB Hot-Swap 3.5† 10K RPM Ultra320 SCSI HDD	90P1306	40K1024
300GB Hot-Swap 3.5† 10K RPM Ultra320 SCSI HDD	90P1307	40K1025
36GB (Gen 3) Hot-Swap 3.5† 15K RPM Ultra 320 SCSI HDD	90P1380	40K1026
73GB (Gen 3) Hot-Swap 3.5† 15K RPM Ultra 320 SCSI HDD	90P1381	40K1027
146GB (Gen 3) Hot-Swap 3.5† 15K RPM Ultra 320 SCSI HDD	90P1382	40K1028
73GB Non Hot-Swap 3.5† 10K RPM Ultra320 SCSI HDD	32P0724	40K1029
146GB Non Hot-Swap 3.5† 10K RPM Ultra320 SCSI HDD	32P0725	40K1030
300GB Non Hot-Swap 3.5† 10K RPM Ultra320 SCSI HDD	32P0799	40K1031
IBM 36GB 15,000rpm Ultra320 SCSI non hot-swap HDD	26K5678	40K1032
IBM 73GB 15,000rpm Ultra320 SCSI non hot-swap HDD	26K5679	40K1033
IBM 146GB 15,000rpm Ultra320 SCSI non hot-swap HDD	90P1314	40K1034
36GB Hot-Swap 2.5† 10K RPM Ultra320 SCSI HDD	32P0796	40K1035
73GB Hot-Swap 2.5† 10K RPM Ultra320 SCSI HDD	32P0797	40K1036
36GB Non Hot-Swap 2.5† 10K RPM Ultra320 SCSI HDD	90P1312	40K1037
73GB Non Hot-Swap 2.5† 10K RPM Ultra320 SCSI HDD	90P1313	40K1038
73GB Hot-Swap 3.5† 10K RPM Ultra320 SAS HDD	26K5709	40K1039
146GB Hot-Swap 3.5† 10K RPM Ultra320 SAS HDD	26K5710	40K1040
300GB Hot-Swap 3.5† 10K RPM Ultra320 SAS HDD	26K5711	40K1041
36GB Hot-Swap 3.5† 15K RPM Ultra320 SAS HDD	26K5697	40K1042
73GB Hot-Swap 3.5† 15K RPM Ultra320 SAS HDD	26K5698	40K1043
146GB Hot-Swap 3.5† 15K RPM Ultra320 SAS HDD	26K5699	40K1044
36GB 2.5† 10K RPM SAS Hot-Swap HDD	26K5654	40K1051
73GB 2.5† 10K RPM SAS Hot-Swap HDD	26K5655	40K1052
80GB -- Simple-Swap Tray SATA 7200 HDD	73P8002	40K6864
160GB -- Simple-Swap Tray SATA 7200 HDD	73P8003	40K6868
250GB -- Simple-Swap Tray SATA 7200 HDD	73P8006	40K6872

Additional information: All offers are subject to availability. IBM reserves the right to alter product offerings and specifications at any time without notice. IBM is not responsible for photographic or typographic errors.


IBM makes no representation or warranty regarding third-party products or services.

Trademarks

Chipkill is a trademark of International Business Machines Corporation in the United States or other countries or both.

The e-business logo, xSeries, and SAA are registered trademarks of International Business Machines Corporation in the United States or other countries or both.

Other company, product, and service names may be trademarks or service marks of others.



IBM United States Announcement Supplemental Information

February 21, 2006

IBM Global Financing

IBM Global Financing offers competitive financing to credit-qualified customers to assist them in acquiring IT solutions. Offerings include financing for IT acquisition, including hardware, software, and services, both from IBM and other manufacturers or vendors. Offerings (for all customer segments: small, medium, and large enterprise), rates, terms, and availability can vary by country. Contact your local IBM Global Financing organization or visit

<http://www.ibm.com/financing>

IBM Global Financing offerings are provided through IBM Credit LLC in the United States and other IBM subsidiaries and divisions worldwide to qualified commercial and government customers. Rates are based on a customer's credit rating, financing terms, offering type, equipment type, and options, and may vary by country. Other restrictions may apply. Rates and offerings are subject to change, extension, or withdrawal without notice.

Financing offering/capabilities: For more financing information, visit

<http://www.ibm.com/financing>

International Warranty Service (IWS): IWS is available during the warranty period to customers who travel or relocate to countries where their computer is sold and serviced by IBM or IBM resellers authorized to perform warranty service. Eligible IBM computers are identified by their four-digit machine type.

You can obtain IWS through the method of service, such as depot, carry-in, or on-site, provided in the servicing country. Service methods and procedures vary by country, and some service or parts may not be available in all countries. Service centers in certain countries may not be able to service all models of a particular machine type. In addition, some countries may have fees and restrictions that apply at the time of service.

To determine the eligibility of your computer and to view a list of countries where service is available, visit

<http://www.ibm.com/pc/support>

Click on the Warranty Lookup tab.

For more information on IWS, refer to Services Announcement 601-034, dated September 25, 2001.

xSeries® Options

Security, auditability, and control

These products use the security and auditability features of the host hardware, software, and application software.

Terms and conditions

IBM DIRECT TERMS AND CONDITIONS FEATURES AND OPTIONS ONLY

Field Installable	Yes
Customer Setup	Yes
Warranty Period(1)	1 year(1)
Service Type (CCE/CCR/CRU)	CRU
Maintenance Agreement	No
Optional Upgrade	No
Licensed Programs	No

Note: Programs included with this product are licensed under the terms and conditions of the License Agreements that are shipped with the feature or option.

All other terms and conditions are the same as those applicable to the IBM machine type in which the feature is installed.

¹ To obtain copies of the IBM Statement of Limited Warranty, contact your reseller or call IBM.

In the United States, call 800-IBM-SERV (426-7378), or write to:

Warranty Information
P.O. Box 12195
Research Triangle Park, NC 27709
Attn: Dept UF2A/B203

Help and service information — Features and options

During the warranty period, support for a warranty-related issue can be obtained by accessing IBM's online services (requires Internet access account, not included) or calling the IBM Support Center at 800-IBM-SERV (426-7378) 24 hours a day, 7 days a week, to answer any questions regarding your new IBM option. Response time will vary depending on the number and nature of calls received. If you need warranty service, return or exchange is available. In addition, if your IBM option is installed in an IBM computer, you may be entitled to service at your location. For general questions related to the use of your options, fee-based support is available. Your technical support representative can help you determine the best alternative.

Accessing IBM on-line services

- IBM Web site at <http://www.ibm.com/pc>

This announcement is provided for your information only. For additional information, contact your IBM representative, call 800-IBM-4YOU, or visit the IBM home page at: <http://www.ibm.com>.

Prices

Description	Part number	ERP(2)
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- U.S. English	40K5372	\$ 99
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- French Canadian	40K5380	99
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- LA Spanish	40K5388	99
IBM Keyboard with Integrated Pointing Device -- 3m Cable -- Black -- USB -- Portuguese	40K5391	99
Ultra320 SCSI Controller 2	39R8743	219
512MB (1x512MB DIMM) PC2-3200	39M5858	199
1GB (2x512MB Kit) PC2-3200	39M5818	399
1GB (2x512MB Kit) PC2-3200	39M5821	319
2GB (2x1GB Kit) PC2-3200	39M5809	699
4GB (2x2GB Kit) PC2-3200	39M5812	2,049
4GB (2x2GB Kit) PC2-3200	39M5815	3,549
1GB (2x512MB Kit) PC3200	39M5800	549
2GB (2x1 GB Kit) PC3200	39M5803	1,249
4GB (2x2 GB Kit) PC3200	39M5806	3,699
2GB (2x1GB Kit) PC3200	39M5849	1,079
4GB (2x2GB Kit) PC3200	39M5852	2,459
1GB (1x1GB DIMM) PC2700	39M5839	619
2GB (1 x2GB DIMM) PC2700	39M5843	1,259
Power Cable -- C13 / NEMA 5-15P 14ft	39Y7931	15
12ft Power Cable C13-C14	39Y7932	19
Universal Jumper Cord -- 1.5 m	39Y7937	19
IEC309 C20 to C13 rack jumper cable	39Y7938	19
IEC 309 C19 to C20 intra rack cable	39Y7916	19
IBM 19† Fixed Shelf Option	39M2978	59
73GB Hot-Swap 3.5† 10K RPM Ultra320 SCSI HDD	40K1023	329
146GB Hot-Swap 3.5† 10K RPM Ultra320 SCSI HDD	40K1024	499
300GB Hot-Swap 3.5† 10K RPM Ultra320 SCSI HDD	40K1025	989
36GB (Gen 3) Hot-Swap 3.5† 15K RPM Ultra 320 SCSI HDD	40K1026	299
73GB (Gen 3) Hot-Swap 3.5† 15K RPM Ultra 320 SCSI HDD	40K1027	499
146GB (Gen 3) Hot-Swap 3.5† 15K RPM Ultra 320 SCSI HDD	40K1028	799
73GB Non Hot-Swap 3.5† 10K RPM Ultra320 SCSI HDD	40K1029	329
146GB Non Hot-Swap 3.5† 10K RPM Ultra320 SCSI HDD	40K1030	499
300GB Non Hot-Swap 3.5† 10K RPM Ultra320 SCSI HDD	40K1031	989
IBM 36GB 15,000rpm Ultra320 SCSI non hot-swap HDD	40K1032	299
IBM 73GB 15,000rpm Ultra320 SCSI non hot-swap HDD	40K1033	499
IBM 146GB 15,000rpm Ultra320 SCSI non hot-swap HDD	40K1034	799
36GB Hot-Swap 2.5† 10K RPM Ultra320 SCSI HDD	40K1035	399
73GB Hot-Swap 2.5† 10K RPM Ultra320 SCSI HDD	40K1036	639
36GB Non Hot-Swap 2.5† 10K RPM Ultra320 SCSI HDD	40K1037	399
73GB Non Hot-Swap 2.5† 10K RPM Ultra320 SCSI HDD	40K1038	639
73GB Hot-Swap 3.5† 10K RPM Ultra320 SAS HDD	40K1039	339
146GB Hot-Swap 3.5† 10K RPM Ultra320 SAS HDD	40K1040	499
300GB Hot-Swap 3.5† 10K RPM Ultra320 SAS HDD	40K1041	989
36GB Hot-Swap 3.5† 15K RPM Ultra320 SAS HDD	40K1042	349
73GB Hot-Swap 3.5† 15K RPM Ultra320 SAS HDD	40K1043	549
146GB Hot-Swap 3.5† 15K RPM Ultra320 SAS HDD	40K1044	989
36GB 2.5† 10K RPM SAS Hot-Swap HDD	40K1051	419

73GB 2.5† 10K RPM SAS Hot-Swap HDD	40K1052	699
80GB -- Simple-Swap Tray SATA 7200 HDD	40K6864	109
160GB -- Simple-Swap Tray SATA 7200 HDD	40K6868	195
250GB -- Simple-Swap Tray SATA 7200 HDD	40K6872	295

² Estimated reseller price to end user. Actual reseller price may vary.

Trademarks

xSeries and SAA are registered trademarks of International Business Machines Corporation in the United States or other countries or both.

Other company, product, and service names may be trademarks or service marks of others.